

CEILING PRODUCTS

www.panelplus.co

CEILING PRODUCTS



BEAM ACCESSORIES

BEAM ACCESSORIES		
Polyurethane Flat Plates75	50	
Polyurethane U-Brackets743, 745-747, 749-75	51	F
Rubber Beam Strapping743, 744, 747, 74	18	F
Touch Up Stain	47	F
BEAMS (FAUX WOOD)		F
Box Beam Collection		F
Classic Raised Grain Box Beam75	52	F
New World Box Beam75	52	1
Vintage Box Beam75	52	F
Contemporary Beam Collection		S
Classic Raised Grain74	48	(
Mesa74	19	(
Milled Style		(
Modern	47	C
New World	50	C
Rough Sawn75	51	ŀ
Rustic Beam Collection		I
Colonial Log74	44	(
Hand Hewn74		
Old World74		F
Tahoe74		
Vintage		1
Unfinished Beam Program75		Ś
CEILING & WALL ORNAMENTS		١
Polyurethane Non-Textured Ornaments	59	1
· of a contained test to started enfattentest		1

CEILING DOMES

0	Fiberglass		
1	Recessed w/Elliptical Plain Cove		.773
8	Recessed w/Light Cove		.773
7	Recessed w/Optional Trim		.773
	Recessed w/Round Bow & Swag Cove		
	Recessed w/Round Plain Cove		
2			
2	High Density Polyurethane		
2	Recessed	.770-771,	774
	Surface Mount		
8	CEILING MEDALLIONS		
9	CEILING TILE ACCESSORIES		
9	Cone Head Nails		.756
7	Decorative Grid Strip		.764
0	Decorative Grid Tape		
1	Hold Down Clips		
	Matching Grid Covers		
4	CEILING TILES		
3	Cornices		
5	Recycled Steel Cornices		.758
6	Stamped Steel Cornices		
4	Filler Panels		
3	Steel Fillers & Finished	756	-757
	Versa Tile High Density Polyurethane		.765
9	High Density Polyurethane Ceiling Tiles		
	Versa Tile		.765
	SEE PAGES 1007-1023 FOR A	- Z IND	сX

Light Diffuser Ceiling Panels 73 Plaster Ceiling Tiles 73 Commercial Suspended Ornamental766 73 Plastic Ceiling Tiles 73 Laminated Rigid Vinyl.....762-764 72 Thermoplastic PVC.....759-761 Steel Ceiling Tiles 74 Premium Finished.....754-756 21 Recycled Unfinished Steel......757 64 CORBELS 64 Contemporary Beam Collection 56 Classic Raised Grain748 61 Mesa......749 New World750 58 Rough Sawn......751 58 Rustic Beam Collection Hand Hewn.....743 57 Vintage744 65 PANELS Rustic Beam Collection 65 Hand Hewn......746



Our **Rustic Beams** allow you to bring back that "Old World Style" and to any room with their rustic warmth and charm. These beams are lightweight and easy to install.


Rustic Beams were fallen logs, hewn into shape using a broad axe. Forging ahead and settling the new frontier, early settlers did not have access to mills and machinery. They shaped the beams used in their homes and business by hand, using their axes and small tools. This resulted in a beam with rugged texture and character.

2	Finishes	s Availal



Unfinished


Finished



	WIDTH	HEIGHT	INSIDE	UPPER INSIDE
PART #	Α	В	WIDTH C	WIDTH D
HH20-55*	5"	5"	3"	2-3/8"
HH30-85*	8"	5-1/8"	6"	6-1/4"
HH40-87*	7-1/2"	6-5/8"	5-3/8"	4-7/8"
* For unfinis	hed add	-UNF to th	e part num	iber

ACCESSORIES-

CORBELS



HHCOR-120

PART #	WORKS WITH	HEIGHT A	DEPTH B	WIDTH C
HHCOR-120	HH20-55	5-3/4"	4-1/16"	4-1/2"
HHCOR-120-U	HH20-55	5-3/4"	4-1/16"	4-1/2"
HHCOR-130	HH30-85 & HH40-87	9"	8-3/16"	6-3/4"
HHCOR-130-U	HH30-85 & HH40-87	9"	8-3/16"	6-3/4"



POLYURETHANE **U-BRACKET**

9



8-13/16" W x 3/8"

BOLTS	WORKS	
PER SIDE	WITH	SIZE
4	HH20-55	5-1/2" H x 6-1/4" W x 3/8"
6	HH30-85	5-7/8" H x 9-1/4" W x 3/8"
6	HH40-87	7-7/8" H x 8-13/16" W x 3/8
	PER SIDE 4 6	PER SIDE WITH 4 HH20-55 6 HH30-85

RUBBER BEAM STRAPPING

Single Strap VINSTRAP

Double Strap DB-STRAP



VINSTRAP (Black/Silver)



DB-STRAP (Black/Silver) 42" L x 2-3/4" W


Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.





* Open on both ends*

Old World Beam Series 16' & 20' Lengths





2 Finishes Available

OWB-44* 4-1/2" 2" 2" 16' OWB-57* 5-1/4" 7-1/4" 3-3/8" 3-3/8" 20' OWB-76* 7" 6-1/2" 4-1/4" 4-1/4" 16'		WIDTH	HEIGHT	INSIDE	UPPER INSIDE	
OWB-57* 5-1/4" 7-1/4" 3-3/8" 3-3/8" 20' OWB-76* 7" 6-1/2" 4-1/4" 4-1/4" 16'	PART #	Α	В	WIDTH C	WIDTH D	LENGTH
OWB-76* 7" 6-1/2" 4-1/4" 4-1/4" 16'	OWB-44*	4-1/2"	4-1/2"	2"	2"	16'
	OWB-57*	5-1/4"	7-1/4"	3-3/8"	3-3/8"	20'
OWE-70* $7_{-1}/4^{"}$ O " $4_{-1}/4^{"}$ $4_{-1}/4^{"}$ OO "	OWB-76*	7"	6-1/2"	4-1/4"	4-1/4"	16'
UND-79 7-174 9 4-174 4-174 20	OWB-79*	7-1/4"	9"	4-1/4"	4-1/4"	20'
OWB-1513* 15-1/4" 13" 12" 12" 16'	OWB-1513*	15-1/4"	13"	12"	12"	16'

* For unfinished add -UNF to the part number

ACCESSORIES ·




POLYURETHANE U-BRACKET



PART #	DESCRIPTION
OWB-U-44	4" W U-Bracket
OWB-U-57	5" W U-Bracket
OWB-U-76	5" W U-Bracket
OWB-UF-76	Flange - Bracket
OWB-U-79	6" W U-Bracket
OWB-UF-79	Flange - Bracket
OWB-U-1513	10" W U-Bracket
OWB-UCH-1513	Chevron Bracket


Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.





Unfinished

Finished





Our Contemporary offer a smooth milled appearance. Creating a sense of casual elegance adding visual interest with their clean lines.

F		and the	1
-			
aler.			
Contraction of	200 maint	and particulars	
-			

Finished



	WIDTH	HEIGHT	INSIDE	UPPER INSIDE
PART #	Α	В	WIDTH C	WIDTH D
MOD-BEAM10	4-3/8"	2-1/4"	3"	2-3/4"
MOD-BEAM20	5-7/8"	3-7/8"	4-3/4"	4"
MOD-BEAM30	7-7/8"	5-7/8"	6-5/8"	4-1/2"

ACCESSORIES-



MOD-CORBEL10

	B C A	
0		
HEIG	HT DEPTH WIDT	н

CORBELS

	HEIGHT	DEPTH	WIDTH
PART #	Α	В	С
MOD-CORBEL10	2-3/8"	4-3/4"	4-3/4"
MOD-CORBEL20	3-7/8"	6-1/8"	5-7/8"
MOD-CORBEL30	9-5/8"	12-5/8"	6-7/8"

RUBBER BEAM STRAPPING

Single Strap VINSTRAP **Double Strap DB-STRAP**





DB-STRAP (Black/Silver) 42" L x 2-3/4" W



3 oz. can of stain for touch ups on Modern & Classic Raised Grain Beams

MOD-BEAM-STAIN



Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.

POLYURETHANE **U-BRACKET**



PART #	BOLTS PER SIDE	WORKS WITH	SIZE
MOD10-BKT	2	MOD-BEAM10	3" H x 7-7/8" W x 3/8"
MOD20-BKT	4	MOD-BEAM20	4-1/2" H x 7-7/8" W x 3/8"
MOD30-BKT	6	MOD-BEAM30	6-1/4" H x 10-1/4" W x 3/8"



2 Finishes Available

Finished



ACCESSORIES-



	HEIGHT	DEPTH	WIDTH	WORKS
PART #	Α	В	С	WITH
CRB-54-COR*	5"	5"	4-1/2"	CRB-54
CRB-66-COR*	6"	6"	5-1/2"	CRB-66
CRB-86-COR*	5-3/4"	6"	7-1/4"	CRB-86
CRB-810-COR*	17-3/4"	11-3/4"	7-1/2"	CRB-810
* For unfinished	d add -UN	VF to the	part nu	mber

RUBBER BEAM STRAPPING

Single Strap

Double Strap



DB-STRAP (Black/Silver) 42" L x 2-3/4" W



Unfinished

Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.

* Open on both ends* Mesa Beam Serie 12' & 19' 6" Lengths	s
WIDTH HEIGHT INSIDE UPPER INSIDE	Finishes Available
PART # A B WIDTH C WIDTH D LENGT BMM6X8X144S 5-31/32" 7-17/32" 3-31/32" 3-3/4" 12' BMM6X8X234S 5-31/32" 7-17/32" 3-31/32" 3-3/4" 19'6" BMM8X10X234S 7-1/4" 9" 4-31/32" 4-1/4" 19'6" BMM10X15X234S 9-1/8" 14-13/16" 6-21/32" 5-5/16" 19'6"	H B A Unfinished
ACCESSORIES	
CORBELS	
COROG15X7S	POLYURETHANE U-BRACKET
	PART # SIZE
COROGA15X7S COROGF15X7S HEIGHT DEPTH WIDTH PART # A B C COROG15X7S 7-1/4" 14-1/2" 6" COROGD15X7S 7-1/4" 14-1/2" 6" COROGD15X7S 7-1/4" 14-1/2" 6" COROGD15X7S 7-1/4" 14-1/2" 6" COROGF15X7S 7-1/4" 14-1/2" 6"	BMSTRPM6X8 7-3/4" H x 7-1/16" W x 6" D BMSTRPM8X10 9-5/8" H x 8-3/8" W x 6" D BMSTRPM10X15 15-1/8" H x 10-1/4" W x 6" D
* Open on both ends*	
Milled Style Beam Series 14' Lengths	
WIDTH HEIGHT PART # A B BMCDR4X3X168S 2-1/2" 3-1/2" BMCDR8X6X168S 5-3/4" 7-1/4"	Finishes Available
Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.	Unfinished

* Open on both ends*

New World Beam Series 56", 12', 14', 16', 20' & 22' Lengths

WIDTH	HEIGHT	INSIDE	UPPER INSIDE	
Α	В	WIDTH C	WIDTH D	LENGTHS
3-1/2"	5-1/2"	1-1/8"	1-1/8"	22'
4"	5-3/4"	2-1/8"	2-1/8"	16'
5-1/2"	5-1/2"	2-5/8"	2-5/8"	20'
5-1/2"	7-1/2"	3-3/8"	3-3/8"	20'
6"	5"	3-1/2"	3-1/2"	20'
6"	7-1/4"	3-1/2"	3-1/2"	12'
6"	9"	3-1/8"	3-1/8"	56"
7-3/4"	5-1/2"	6"	6"	14'
7-1/2"	6-1/2"	5"	5"	20'
6-1/2"	7-1/2"	4"	4"	20'
7-1/4"	9-1/4"	4-1/8"	4-1/8"	20'
7-1/4"	11"	4-3/8"	4-3/8"	20'
8"	11-1/2"	4-7/8"	4-7/8"	14'
9-1/4"	11"	6-1/2"	6-1/2"	20'
9"	14-1/2"	6-3/4"	6-3/4"	20'
9-1/2"	14-3/4"	6-3/4"	6-3/4"	14'
11-3/4"	14-3/4"	9"	9"	14'
11-1/2"	18-3/4"	8-1/4"	8-1/4"	16'
15-1/8"	15-1/8"	11-1/2"	11-1/2"	16'
	A 3-1/2" 4" 5-1/2" 5-1/2" 6" 6" 6" 7-3/4" 7-1/2" 6-1/2" 7-1/4" 8" 9-1/4" 9" 9-1/2" 11-3/4"	AB $3-1/2"$ $5-1/2"$ $4"$ $5-3/4"$ $5-1/2"$ $5-1/2"$ $5-1/2"$ $7-1/2"$ $6"$ $9"$ $6"$ $7-1/4"$ $6"$ $9"$ $7-3/4"$ $5-1/2"$ $7-1/2"$ $6-1/2"$ $7-1/2"$ $6-1/2"$ $7-1/4"$ $11"$ $8"$ $11-1/2"$ $9-1/4"$ $11"$ $9"$ $14-1/2"$ $9-1/2"$ $14-3/4"$ $11-3/4"$ $14-3/4"$ $11-1/2"$ $18-3/4"$	ABWIDTH C $3-1/2"$ $5-1/2"$ $1-1/8"$ $4"$ $5-3/4"$ $2-1/8"$ $5-1/2"$ $2-5/8"$ $5-1/2"$ $7-1/2"$ $3-3/8"$ $5-1/2"$ $7-1/2"$ $3-3/8"$ $6"$ $5"$ $3-1/2"$ $6"$ $9"$ $3-1/2"$ $6"$ $9"$ $3-1/8"$ $7-3/4"$ $5-1/2"$ $6"$ $7-1/2"$ $6-1/2"$ $5"$ $6-1/2"$ $7-1/2"$ $4"$ $7-1/4"$ $9-1/4"$ $4-1/8"$ $7-1/4"$ $11"$ $4-3/8"$ $8"$ $11-1/2"$ $4-7/8"$ $9-1/4"$ $11"$ $6-3/4"$ $9-1/2"$ $14-3/4"$ $6-3/4"$ $9-1/2"$ $14-3/4"$ $9"$ $11-3/4"$ $14-3/4"$ $9"$	ABWIDTH CWIDTH D $3-1/2^n$ $5-1/2^n$ $1-1/8^n$ $1-1/8^n$ 4^n $5-3/4^n$ $2-1/8^n$ $2-1/8^n$ $5-1/2^n$ $5-1/2^n$ $2-5/8^n$ $2-5/8^n$ $5-1/2^n$ $5-1/2^n$ $2-5/8^n$ $2-5/8^n$ $5-1/2^n$ $7-1/2^n$ $3-3/8^n$ $3-3/8^n$ 6^n 5^n $3-1/2^n$ $3-1/2^n$ 6^n 7^n $3-1/2^n$ $3-1/2^n$ 6^n $7-1/4^n$ $3-1/2^n$ $3-1/2^n$ 6^n 9^n $3-1/8^n$ $3-1/8^n$ $7-3/4^n$ $5-1/2^n$ 6^n 6^n $7-1/2^n$ $6-1/2^n$ 5^n 5^n $6-1/2^n$ $7-1/2^n$ 4^n 4^n $7-1/4^n$ $9-1/4^n$ $4-1/8^n$ $4-1/8^n$ $7-1/4^n$ $9-1/4^n$ $4-7/8^n$ $4-7/8^n$ 9^n $11-1/2^n$ $6-3/4^n$ $6-3/4^n$ $9-1/2^n$ $14-3/4^n$ $6-3/4^n$ $6-3/4^n$ $9-1/2^n$ $14-3/4^n$ 9^n 9^n $11-3/4^n$ $14-3/4^n$ 9^n 9^n



2 Finishes Available



CORBELS

Finished

B

* For unfinished add -UNF to the part number

ACCESSORIES-



POLYURETHANE U-BRACKETS & FLAT PLATES

U-Bracket

PART #	DESCRIPTION					
NWB-FP-412A	Flat Plate: Nut Side 4" W x 12" L					
NWB-FP-412B	Flat Plate: Bolt Side 4" W x 12" L					
NWB-U-35	4" W U-Bracket					
NWB-U-45	4" W U-Bracket					
NWB-U-55	4" W U-Bracket					
NWB-U-57	5" W U-Bracket					
NWB-U-65	5" W U-Bracket					
NWB-U-67	5" W U-Bracket					
NWB-U-75	4" W U-Bracket					
NWB-U-76	5" W U-Bracket					
NWB-U-78	6" W U-Bracket					
NWB-U-79	6" W U-Bracket					
NWB-U-711	6" W U-Bracket					
NWB-U-811	6" W U-Bracket					
NWB-U-911	6" W U-Bracket					
NWB-U-914	6" W U-Bracket					
NWB-U-915	6" W U-Bracket					
NWB-U-1114	8" W U-Bracket					
NWB-U-1118	8" W U-Bracket					
NWB-U-1515	8" W U-Bracket					

-	- Caller			
L	PART #	HEIGHT A	DEPTH B	WIDTH C
	NWB-COR-7818	8"	18"	7-1/4"
	NWB-COR-7830	7-1/4"	30"	7-1/4"
	NWB-COR-8612	6"	12"	8"
	NWB-COR-8818	8"	18-1/4"	7-3/4"
	NWB-COR-11818	8"	18-1/4"	11-3/4"
	NWB-COR-161824	18"	24"	16"
	NWB-COR-121630	16"	30"	12"
	NWB-COR-7924	9-1/4"	24"	7-1/4"
	NWC-COR-9924	9-1/4"	24"	9-1/4"
	NWB-COR-7948	9-1/4"	48"	7-1/4"
	NWB-COR-3514	5-1/2"	14"	3-1/2"
	NWB-COR-7728	7-3/8"	28-3/8"	7-3/8"
	NWB-COR-5917	9-1/4"	17-3/4"	5-1/4"
	NWB-COR-52322	23"	22-3/4"	5-7/8"
	NWB-COR-71624	16"	24"	7-3/8"
	NWB-COR-71833	18-1/2"	33-3/4"	7-1/4"

Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.

* Open on both ends*

Rough Sawn Beam Series 10', 16', 8' 6" & 20' Lengths




2 Finishes Available

	WIDTH	HEIGHT	INSIDE	UPPER INSIDE	
PART #	Α	В	WIDTH C	WIDTH D	LENGTHS
RSB-33*	3-3/4"	3"	2-1/4"	2-1/4"	20'
RSB-34*	3-1/2"	4-1/2"	1-3/4"	1-3/4"	20'
RSB-57*	5-1/4"	7"	3-1/2"	3-1/2"	16'
RSB-511*	5-1/4"	11"	3-1/4"	3-1/4"	8' 6"
RSB-77*	7-1/2"	7-1/2"	5-7/8"	5-7/8"	20'
RSB-88*	8-1/2"	8-1/2"	6-1/2"	6-1/2"	10'
RSB-815*	8-1/2"	15-1/4"	6-3/8"	6-3/8"	10'
* For unfin	ished ad	d -UNF to	the part r	umber	

ACCESSORIES-

CORBELS





	HEIGHT	DEPTH	WIDTH
PART #	Α	В	С
RSB-COR-5917	9-1/4"	17-3/4"	5-1/4"
RSB-COR-71130	11-1/2"	30"	7-1/4"
RSB-COR-7924	9-1/2"	24"	7-1/4"
RSB-COR-61612	16"	12"	6-3/4"








Unfinished

Finished






POLYURETHANE **U-BRACKET**

PART #	DESCRIPTION
RSB-U-33	4" W U-Bracket
RSB-U-34	4" W U-Bracket
RSB-U-57	5" W U-Bracket
RSB-U-511	5" W U-Bracket
RSB-U-77	6" W U-Bracket
RSB-U-88	6" W U-Bracket
RSB-U-815	6" W U-Bracket

THE BOX BEAM COLLECTION



Unfíníshed Beam Program **Create your own color** Simply make your selection from the many gel stain finishes that best

suits your room.

Brush on your staín and enjoy the Beauty

Y limit your choices of color?

MINWA Wood S



Exterior Use:

It is Recommended when BEAMS are used for Entrance Ways or Over Terraces that an outdoor deck stain is applied.

MINWAY

Gel Stan For Wood, Fibery

> Visit your Home Centers for endless color selections

> > Hint: Water Base Gel Stains have a low gloss (flat) appearance.

- High Density Polyurethane.
- Light weight & Easy to install.
- Coordinating corbels and accessories available.
- Virtually impossible to distinguish from real wood.
- Will not rot, warp, decay or split.
- Our beams can be used indoors and outdoors. When using outdoors, a UV coating must be applied to prevent the pre-finished product from fading over time.

EASY INSTALLATION

Instructions:

- 1. Secure a wood block to the ceiling every 4-5 ft.
- 2. Slide the opening of the beam over the wooden blocks.
- 3. Place a line of silicone caulk on the beam.
- 4. Attach two screws/nails into the side of the beam. This will secure the beam to the ceiling.

Wood Block Screw or nail to mounting surface (not sold) Screw or Nail Adhesive

PREMIUM DECORATIVE STAMPED STEEL CEILING PANELS



Our New Stamped Ceiling Panels are an exciting interior mix of texture and nostalgia. Patterns drawn from the past enliven contemporary and traditional styling with their finely crafted detail.

- · Lightweight, non-combustible panels and accessories are manufactured from tin free steel 30 gauge, .010 thick.
- Chromium treated for superior paint retention.
- When material is properly coated, little or no maintenance is required and cleans with soap and water.
- Ceiling panels and cornices are shipped uncoated to allow custom on-site finishing.
- To prevent corrosion, panel must be coated.
- Recommended paints are RUST-O-LEUM to maintain the natural metal appearance, semi-gloss or high gloss oil base paints.
- DO NOT USE WATER-BASED PAINT.

(6" Multiple Plate)

SM2-207 (2' x 2') SM4-207 (2' x 4')

(6" Multiple Plate)

- Steel Only

SM2-215 (2' x 2') SM4-215 (2' x 4')


- HEAVY DUTY SAFETY GLOVES SHOULD BE WORN WHEN HANDLING PANELS AND CORNICES - EDGES ARE EXTREMELY SHARP.
 - DUE TO PRODUCTION DYE LOTS. FINISH MAY VARY **ON COLORED TILES & CORNICES.**



CUSTOM ORDERS If acoustics are a concern, all 2' x 2' tiles are available perforated. Custom order - 6 week lead time.









Finishes Available




All Brass, Copper, Chrome and White Panels and Cornices are shipped with a clear baked on enamel finish. Additional finishing is NOT RECOMMENDED.


When ordering different finishes, please add the following to the end of the part #:

> FINISH Steel Lacquered White Brass Copper Chrome

PREMIUM DECORATIVE STAMPED STEEL CEILING PANELS




PREMIUM DECORATIVE STAMPED STEEL CEILING PANELS



COFFERED CEILING TILES ONLY AVAILABLE IN STEEL

RECYCLED UNFINISHED STEEL CEILING PANELS





NOTE: This moulding is a right angle girder nosing.

DECORATIVE STAMPED STEEL CORNICE

Available in 4 ft. lengths




41.1967				
	PART #	Α	В	С
1	SM-800	1-1/2"	1-1/2"	1-1/2"
2	SM-810	2-5/8"	2"	2"
3	SM-803	3-1/2"	2-1/2"	2-1/2"
4	SM-801	3-5/8"	2-1/2"	2-1/2"
5	SM-909	3-1/2"	3"	3"
6	SM-802	4-1/2"	3-1/2"	3-1/2"
7	SM-804	4-1/2"	4"	4"
8	SM-905	7-1/4"	4"	4"
9	SM-705	6-1/2"	4"	4"
10	SM-904	7-1/4"	6"	6"
11	SM-906	9-1/4"	6"	6"
12	SM-806	9-1/4"	6"	6"
13	SM-707	9"	6-1/4"	6-5/8"
14	SM-808	11-1/4"	8-3/4"	8-3/4"
15	SM-807	13"	9-1/2"	9-1/2"
16	SM-706	14"	9"	9"
17	SM-907	15-5/8"	9"	9"

20000002

PART # 2 бгеел

When ordering different finishes, please add the following to the end of the part #: Copper = C, Brass = B, Chrome = CH, White = WH, Laquer = LAQ.





9

10

11

RECYCLED CORNICE Build

SM-810-REC SM-802-REC 6 SM-705-REC 9

14



Our Lay-In Tiles are designed to install over existing tiles. They work with standard T-grid suspension systems. It is recommended that a standard tile (old or new) be used on top of our 2' x 4' lay-in tiles to hold them in place. The 2' x 2' size would produce no sag but the 2' x 4' might require a small amount of panel adhesive to eliminate this.

There are no special tools or skilled labor required for installation. In fact all tiles can be easily fabricated using a simple utility knife or scissors.

to be adhered directly to an existing ceiling. They are designed with an overlap system to make installation easy.

These extremely lightweight panels have an impervious waterproof surface, are mildew resistant and will not harbor germs or bacteria. They are low maintenance and can be washed with mild soap and water.

> Do Not Use Abrasive Cleaners! You will *never* have to replace again.

Thermoplastic PVC Ceiling Tiles 2' x 2' & 2' x 4' .030" Thick Lay-In or Glue-Up Tiles • A cost efficient and unique alternative to real metal Class A Fire Rated High Impact Chemical and scratch resistant properties



When overlapping four MirroFlex panels, it is necessary to cut a 1/2" notch in panels 2 and 3 to avoid a bulge where the panels meet.

PANEL 2

notch 1/2" flat area

PANEL 1


Thermoplastic PVC Ceiling Tiles 2' x 2' & 2' x 4' .030" Thick Lay-In or Glue-Up Tiles

*ADD FINISH CODE TO END OF PART NUMBER Example- PCT22L-ROS-AS

Finishes are shown on the next page



Please specify when ordering.



PART NUMBER: Example- GM210-CC

Minimums apply. Please inquire.

GM230-* 4 Tee Cover GM250-* 4' Wall Moulding Cover



Laminated Rigid Vinyl Ceiling Tiles

2 Ft. x 2 Ft.

.030" Thick Drop In, Glue or Staple Up Tiles (1" T-bar grid required for drop in) Available in White/Paintable (*WTP), Tin/Pewter (*PBR), Copper (*CBR), or Bronze (*BBR) Please specify color code when ordering

Enjoy a magnificent antique ceiling. Create the look of historical pressed metal for a fraction of the time and price.

Alexander Style

Decorative reproductions of classic tin styles that turn any

ceiling into a work of art.

 Remarkable Value and Versatility

Fully recyclable

 Greenguard certified for "Indoor Air Quality" and "Children & Schools"

FDA compliant

***** Class A Fire Rated

- Won't absorb moisture or stain
- Won't harbor dust, mold or mildew
- Easy to install

Fleur-De-lis Style




V3-CONT-22-* Continental (shown in Tin)

Laminated Rigid Vinyl Ceiling Tiles

2 Ft. x 2 Ft.

.030" Thick Drop In, Glue or Staple Up Tiles (1" T-bar grid required for drop in) Available in White/Paintable (*WTP), Tin/Pewter (*PBR), Copper (*CBR), or Bronze (*BBR) Please specify color code when ordering

Stock Styles Available:





Laminated Rigid Vinyl Ceiling Tiles

2 Ft. x 2 Ft.

.030" Thick Drop In, Glue or Staple Up Tiles (1" T-bar grid required for drop in) Available in White/Paintable (*WTP), Tin/Pewter (*PBR), Copper (*CBR), or Bronze (*BBR) Please specify color code when ordering

Decorative Tape & Strip



Decorative Grid Tape 1" x 100' rolls. Approximately 1 role per 20 tiles. Grid mount installation only.










PART # FINISH V3-DECOSTRP-WTP V3-DECOSTRP-*





VERSA TILE

THE CEILING SOLUTION 2 ft. x 2 ft. HIGH DENSITY POLYURETHANE



COMMERCIAL SUSPENDED ORNAMENTAL PLASTER CEILING TILES

- · 2 ft. x 2 ft. lay-in panels for use with standard commercial 15/16" T-bar suspension grid. Grid must be suspended by 12 gauge pre-straightened steel wire at 4 ft. on center.
- · Cuts as easily as dry wall for down lights, sprinklers and vents.



- · No need for hold down clips & no rattling in the grid.
- · Tested in accordance with ASTM-E84. Results were zero smoke spread, zero flame spread and zero fuel contribution.

These tiles are composed of gypsum cement, glass fibers and other non combustible aggregates. All tiles are finished with a ceiling white satin latex. A nominal 1/2" thick, and consistently weigh only 2 - 2.25 lbs. per square ft. The tiles satisfy ASTM Spec.C-635 for L/360, based on hanger wire at 4' on center. The relief on the tiles varies from 1/4" - 3" according to the design.

PCT-3

Coffer

(Trimming not recommended. use filler panel)

Contemporary

PCT-12 French Flower

PCT-21 Classic



24 pc. minimum

Class A Fire Rating:

will not sustain combustion

or release toxic fumes.

PCT-4

Quarter

PCT-13 Gothic

Coffer

PCT-22

Dentil

(Trimming not recommended, use filler panel)

Traditional

















PCT-24

Executive




ACRYLIC CEILING PANELS

SIX DESIGNS • 2' x 2' or 2' x 4' x .080" TILES

Bring the look of the outdoors inside your home or business. These tiles transmit up to 70% of available light ensuring both a bright space, and high style!

- .080" thick non-yellowing acrylic.
- Environmentally responsible using 99.9% VOC-free inks and 100% acrylic!
- · High light transmission lens material.
- High impact resistance.
- Approximately 1/2 lb. per square foot.
- Use with fluorescent light sources. Best results are achieved with full spectrum lamps.
- · Supplied with protective film on one side.

EASY TO INSTALL! • Use existing grid systems. • Panels drop right in.





Applications: Restaurants
Conference Rooms
Classrooms · Doctor's office · Waiting rooms • Home Decor Thatch Green Elm Leaves White Palm Leaves White Elm Leaves Tan/Grey Palm Leaves PART # SIZE DESIGN APSS-22 2' x 2' Summer Sky APSS-24 2' x 4' **APWEL-22** 2' x 2' White Elm Leaves APWEL-24 2' x 4' 2' x 2' APGEL-22 Green Elm Leaves APGEL-24 2' x 4' APTH-22 2' x 2' Thatch APTH-24 2' x 4' White Palm Leaves[^] APPLW-22 2' x 2' APPLTG-22 2' x 2' Tan/Grey Palm Leaves[^] ^Available in 2' x 2' only See page 738 for additional **Luminous Ceiling Tiles**

MIRROFLEX[™] LIGHT DIFFUSERS

MirroFlex[™] Light Diffusers are designed to replace existing prismatic panels in suspended ceiling systems. Our diffusers are ideal for office work environments because the light is directed from side to side and does not shine downward onto computer stations.

The panels are tegular which means the embossed part of the design is lower than the suspension grid and the 4 edges are flat to fit nicely into the grid. **PRODUCT FEATURES:** Thermoplastic Panels 2' x 4' Sheets · Finish: Frosted Clear (<u>23-5/8</u>" x 46-1/2") • Class A Fire Rated . Tolerance +/- 1/4' • 30% more light at eye level. .030" • Brighter light around perimeter. · Softer light at desk height. Thickness · Lightweight approximately 1.17 lbs each. **APPLICATIONS:** Offices Hallways Schools Homes Medical Facilities Wavation: LD24-WAV-FC Basketweave: LD24-BAS-FC **Revolution: LD24-REV-FC** See page 738 for additional **Luminous Ceiling Tiles**

POLYURETHANE NON-TEXTURED ORNAMENTS


SMOOTH CEILING ORNAMENTS

Manufactured of high density polyurethane, these plaster-like decorative ornaments are lightweight, primed and ready to paint.



DECORATIVE RECESSED CEILING DOMES

Polyurethane Architectural Elements



All dimensions are approximate.


Orac Domes To Be Found On Page 774 *

designer's

DECORATIVE RECESSED CEILING DOMES

Polyurethane Architectural Elements

designer's



All dimensions are approximate.



FIBERGLASS DOMES

Create mystique within a room by changing the very shape and feel with a curved dome. Primarily decorative, domes increase the height of a room and allow for larger light fixtures.



PART #	SHAPE		ROUGH OPENING	OPENING DEPTH	MAXIMUM MEDALLION SIZE	WEIGHT
	N DOMES		OF EINING	DEITH	UIZE	WEIGHT
98520	Round	40-1/4"	36-1/2"	7-1/4"	12"	10.1 lbs.
98522	Round	52-1/4"	49-1/2"	15"	15"	16 lbs.
98530	Round	65-1/8"	60-3/4"	12-3/4"	18"	29 lbs.
98531	Round	77-3/8"	75-1/2"	16-1/2"	18"	48 lbs.
98540	Round	89-1/4"	84-3/4"	14-3/4"	24"	42 lbs.
98560	Elliptical	41" x 54"	35-1/2" x 48-1/2"	7-1/2"	12"	22 lbs.
98570	Elliptical	58-3/4" x 78"	54" x 73-1/2"	10-1/4"	18"	34 lbs.
RONDE	EL DOME	S				
98523	Round	41-7/8"	36-1/2"	7-1/4"	12"	11.1 lbs.
98533	Round	65-3/4"	60-3/4"	12-3/4"	18"	35 lbs.
98563	Elliptical	41" x 54"	35-1/2" x 48-1/2"	7-1/2"	12"	17 lbs.
98573	Elliptical	58-3/4" x 78"	54" x 73-1/2"	10-1/4"	18"	33 lbs.
WESLE	EY DOME	S (NO RIM)				
98525	Round	35-7/8"	36"	7-1/4"	12"	10 lbs.
98526	Round	47-3/8"	47-5/8"	15"	12"	12 lbs.
98535	Round	60"	60-1/4"	12-3/4"	18"	28 lbs.
98536	Round	72"	72-3/8"	15-1/2"	18"	42 lbs.
98545	Round	84"	84-3/4"	14-3/4"	24"	42 lbs.

Note: We offer the complete line of Focal Point products. If you do not see the Focal Point part you are looking for, Please inquire.



FIBERGLASS DOMES WITH ATTACHED LIGHT COVE

We introduce a dome with a manufactured light cove as one lightweight fiberglass unit that's easy to install and uniquely designed with a hidden light cove feature. All cove domes include white rope light - 25,000 hour life. Supplied with a light channel (or cove attached to domes) simply drop in the rope light.

The cove has a flat surface that can be left plain for a contemporary look or allows for the addition of flexible millwork designs. This allows the dome to blend with the decor of the home.

Additional Decorative Millwork options available below. Pricing includes domes and factory installed millwork, *but not painted*.

ROUND DECORATIVE BOW & SWAG COVE DOME (Pre-Molded)

		POUCH	OPENING	RIM	
PART #	DIAMETER				MEDALLION SIZE
98521	78-5/8"	75-1/2"	15-1/2"	1-1/2"	20"





PLAIN COVE DOMES



ROUND PLAIN COVE DOMES									
	OUTSIDE	ROUGH	OPENING						
PART #	DIAMETER	OPENING	DEPTH						
98520-COVE*	42"	36-1/2"	6-1/4"						
98522-COVE*	54"	49-1/2"	14"						
98530-COVE*	67"	60-3/4"	11-3/4"						
98550-COVE*	78-5/8"	73-1/2"	15-1/2"						
98540-COVE*	91-1/4"	84-3/4"	13-3/4"						
ELLIPTICA	L PLAIN	COVE D	OMES						
	OUTCIDE	DOLICH	ODENING						

	OUTSIDE	ROUGH	OPENING						
PART #	DIAMETER	OPENING	DEPTH						
98560-COVE*	43" x 56"	35-1/2" x 48-1/2"	6-1/2"						
98570-COVE*	61" x 80"	54" x 73-1/2"	9-1/4"						

OPTIONAL DECORATIVE RIM MILLWORK



DOMES FOR NEW & EXISTING CEILINGS

"Europe's #1 Choice for Interior Design"

NOTE: MEASUREMENTS ARE APPROXIMATE.

All the decorative elements in the ORAC DECOR Collection are produced in high density polyurethane, primed white. This material is extremely durable and easy to work with. It is tough, dimensionally stable, lightweight and easy to install using common woodworking

tools and the Orac Decor adhesives. Adding elements from the ORAC DECOR Collection will enhance any new construction, renovation or redecoration project making a distinctive impression. The ORAC DECOR Collection offers a full range of decorative products reproduced from popular classic to contemporary designs.



F10 Surface Mount (Item F10 requires no cutting - perfect for remodeling!)

> F11 Recessed Mount

F12 Recessed Mount

PART #	STYLE	INSIDE DIA.	OUTSIDE DIA.	ROUGH OPENING	OVERALL DEPTH	INTERIOR DEPTH	WEIGHT
F10	Surface Mount	24-13/16"	35-1/4"	N/A	4-5/16"	3-7/8"	13 lbs.
F11	Small Recessed Mount	24-3/16"	29-5/16"	26-15/16"	3-3/4"	3-3/16"	8 lbs.
F12	Large Recessed Mount	44-7/8"	51-15/16"	48-13/16"	13"	12-3/8"	18 lbs.





CHANDELIER LIGHT LIFT


Now available: A motorized lift system for your chandelier. Dangerous ladders and expensive cleaning services are things of the past as chandeliers are quickly and safely lowered within easy reach from the floor for cleaning or replacement of bulbs.



Just Turn The Key!

Our new light lifts come with a special key switch, which can be conveniently installed in any new or existing wall. Releasing the key stops the chandelier at the height you choose. It's that easy!





....special order a "Remote Installation" unit for when you do not have enough overhead room, or for a sloped ceiling.

775

All "Standard Installation Lifts" include 120-volt motor with mounting brackets, all installation hardware, key switch with wall plate, 35 feet of suspension cable, and complete installation instructions.

1560 Watts

1560 Watts

200 lbs.

300 lbs.

LL300

For longer cable lengths, higher wattages, greater weight capacities, or remote installation kits, please inquire.

It is recommended that all electrical products be installed by a licensed electrician.



Ceiling Medallions

For a complete line see pages 809-812, 841-844, 854

The Chandelier Lift is shown on page 775

