2014



**MILLWORK - INTERIOR** 

# MILLWORK: INTERIOR



----------

ADHESIVES	Cornice Mouldings	NICHE SHELL CAPS
	' DEM779-786	
Orac® 84	Orac <sup>®</sup> 822-826	NICHES
Polystyrene LD (EPS-ADH)85		Recessed
Polystyrene RPS (MP-25-ADH) 777 79	5 Orac <sup>®</sup> 832	DEM 819
Polygrethane DEM (ADH1) 777, 79	Large Decorative Cornice Mouldings	Focal Point 855-856
BASE MOLII DINGS	S Large Decorative Cornice Mouldings DEM787	Orac® 831
BASE MOULDINGS DEM80	Large Plain Cornice Mouldings	Surface Mounted
BASE MOLII DINGS ACCESSORIES	DEM 702	DEM819
Inside/Outside Corners	DEM	Focal Point
DEM 80:	DEM 788-701	PANEL MOLIL DINGS
CASE MOULDINGS	CORNICE MOULDINGS ACCESSORIES	Decorative Panel Mouldings
DEM80	Corhels	DEM797-799
CEILING DOMES	DEM 787	Orac <sup>®</sup>
Fiberglass	Orac <sup>®</sup>	
Recessed w/Elliptical Plain Cove77		Orac832
	B DEM780-785, 792, 794	Plain Panal Mauldings
Pagagod w/Optional Trim	Large Decerative Drens	Plain Panel Wouldings
Recessed w/Optional Tilli	3 Large Decorative Drops 3 DEM796	Oroc® 927 920
Recessed w/Round Plain Cove77	CROWN MOULDINGS	PANEL MOULDINGS ACCESSORIES
Recessed W/Round Plain Cove77	Procal Point	Putt Joint Corners
		DEM 000 005
High Density Polyurethane Recessed770-771, 77	Low Density Extruded Polystyrene	DEW
Recessed	DOOR CASINGS DEM814	Mitreless Covers
CEILING MEDALLIONS	DOOR SURROUNDS & ACCESSORIES	PEDIMENTS
	2 DEM817-818	
	DEM817-818 Orac <sup>®</sup> 846	
Orac®841-84		Massive
COLUMNS		DEM816
Classical Half Columns	Hand Carved Solid Maple860-862 FIREPLACE SURROUNDS	
	FIREPLACE SURROUNDS	DEM
Classical Whole Columns		Orac®833-834
Orac <sup>®</sup> 83	FRIEZES	RAISED PANELS
Contemporary Half Columns		Orac <sup>®</sup> 847
	Focal Point853	
Contemporary Whole Columns	LIBRARY FACADE SYSTEM	Orac <sup>®</sup> 845
	' Orac <sup>®</sup> 840	
COMMON MOULDINGS	MANTEL COLUMNS	DEM812
	Full Round Columns859	
CORBELS	Half Round Columns859	TRIM-FAST™ (The Miter-Free Corbel System)795
DEM78	MANTEL HEADERS865	WALL DECORATIONS
Orac <sup>®</sup> 84	865 MANTEL LEGS	Orac <sup>®</sup> 845
CORNICE MOULDINGS	MITER BOXES (Fixed & Adjustable) & SAW KIT	WALL LIGHT SCONCES
Combination Mouldings	Orac <sup>®</sup> 849	Orac®848
DEM79	MOULDINGS	WINDOW CASINGS
Cornice Mouldings for Indirect Lighting	Flexible "Made To Fit" Mouldings857-858	DEM814
DEM79		
Orac®82	SEE PAGES 1007-1023 FOR A - Z INDEX	

# Distinctive Mouldings

Value and Design come together to create a line of millwork designed to give all your projects a distinctive finish... a designers finish.





### designer's

#### Polyurethane DEM Mouldings

DEM Mouldings and Millwork encompass a full decorative array of premium quality polyurethane cornice and panel mouldings, medallions, niches, stair brackets, pilasters and other ornamental products are guaranteed to satisfy all decorative requirements without compromise. DEM is impervious to adverse climate and weather conditions, and, because of its dimensional stability, will not alter over time. Produced in exclusive molds that yield ornate and sharply defined details, perfect dimensions, and extremely consistent quality, DEM is lightweight, impact resistant and easy to install and finish using traditional woodworking techniques and tools.

**ADH1** 10.6 oz tube

PL Premium Adhesive Approximate adhesive yields\* Mouldings 2" + Under - 60' Mouldings 2 - 5" - 45' Mouldings 5" + Over - 30'

\* Yields are approximate and based on average conditions and installation technique.



RPS 100% Recycled High Density Mouldings, which are impervious to adverse climate and weather conditions, offer an economical decorative and design medium that are manufactured from renewable polystyrene resources. Introduced as a cost effective alternative to more costly polymer mouldings and millwork, RPS Mouldings will aesthetically satisfy all decorative requirements without having to compromise for lesser quality mouldings. The polystyrene compound from which RPS Mouldings are manufactured, not only produces a durable, impact resistant surface, making them ideally suited for use in highly trafficked environments, RPS Mouldings can be easily cut, nailed, glued, finished and installed using the same woodworking techniques and tools as wood and mdf mouldings & millwork.

#### The "Original" Hybrid Formula

MP-25-ADH is a high performance, one component, permanently flexible, easy to use, multi-purpose fast cure modified polyurethane sealant. MP-25-ADH cures rapidly when exposed to atmospheric moisture to form a durable bond.

- · Use as adhesive or filler
- Eco-friendly, low VOC's
- · Fast cure · Paintable · Non-yellowing

MP-25-ADH







# The AXXENT Collection **Duropolymer® CX/PX/SX Mouldings**

Discover new atmospheres and styles with high quality interior products.

Lightweight, easy to install, easy to paint.

Duropolymer®: The Advanced Polystyrene Composite Blend from which Duropolymer® Mouldings are manufactured, not only produces an extremely durable, impact resistant surface, making Duropolymer® Mouldings ideally suited for use in highly trafficked environments. They can be easily cut, nailed, glued, finished and installed using the same woodworking techniques and tools as wood and mdf mouldings & millwork. Duropolymer® Mouldings, which are impervious to adverse

climate and weather conditions, comprise an environmentally

friendly, ecologically responsible water based primer coat that is produced without the use of any solvents. In addition, Duropolymer® Mouldings have sharply defined details, perfect dimensions, and extremely consistent quality, enabling them to endure years of repeated refinishing.

Duropolymer® Adhesive FDP-500

310ml cartridge (10-1/2 oz.)





#### **DECORATIVE CORNICES Polyurethane DEM Mouldings** 100% RECYCLED POLYSTYRENE **Polystyrene RPS Mouldings Duropolymer® CX Mouldings DEM-105 DEM-107** 2" 2-5/8" 2-3/4 2-7/8 \*\*\* 94-1/2" Length Design Repeat: 1/2" 94-1/2" Length Design Repeat: 2-1/2" **DEM-111 DEM-113** 2-1/8" 2-1/8" 2-1/8" 2-3/8" 3-1/8 94-1/4" Length Design Repeat: 1-7/8" 94-1/2" Length Design Repeat: 3/8" **DEM-114 DEM-115** 2-5/8" 2-3/8" 3-1/8" 3-1/2" 3-5/8 94-1/2" Length Design Repeat: 3-15/16" 96" Length Design Repeat: 1" **DEM-116** CX101 **Duropolymer®** 2-3/4" 2-3/4" 3-7/8" 3-7/8" 2-3/4" 3-15/16 96" Length Design Repeat: 1-1/4" 96" Length **Duropolymer**® CX135 **CX136 Duropolymer®** 2-3/4" 2-3/4" 2-3/4"

DUROPOLYMER® • HIGH IMPACT
• Recommended blade 10" Blade, 200 Teeth
product information can be found on page 777

96" Length

All dimensions are approximate.

3-15/16

2-3/4"


3-15/16


96" Length





#### Polyurethane DEM Mouldings Polystyrene RPS Mouldings


#### 100% RECYCLED POLYSTYRENE
















RESOUCT information can be found on page 777





Polyurethane DEM Mouldings Polystyrene RPS Mouldings

















# designer's edge MILLWORK


Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® CX Mouldings


#### 100% RECYCLED POLYSTYRENE




















All dimensions are approximate.


DUROPOLYMER® • HIGH IMPACT
• Recommended blade 10" Blade, 200 Teeth


product information can be found on page 777


#### designer's edge MILLWORK


### Polyurethane DEM Mouldings Polystyrene RPS Mouldings


















All dimensions are approximate.


# designer's edge MILLWORK


Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® CX Mouldings


#### 100% RECYCLED POLYSTYRENE




















DUROPOLYMER® • HIGH IMPACT
• Recommended blade 10" Blade, 200 Teeth
product information can be found on page 777





All dimensions are approximate.





#### Polyurethane DEM Mouldings Polystyrene RPS Mouldings


















All dimensions are approximate.





#### Polyurethane DEM Mouldings Polystyrene RPS Mouldings

#### 100% RECYCLED POLYSTYRENE



















#### LARGE DECORATIVE CORNICES


# designer's edge MILLWORK


#### Polyurethane DEM Mouldings Polystyrene RPS Mouldings

















All dimensions are approximate.



All dimensions are approximate.

#### **Polyurethane DEM Mouldings** 100% RECYCLED POLYSTYRENE **Polystyrene RPS Mouldings Duropolymer® CX Mouldings CX123 Duropolymer®** RPS-0183 (8 Ft.) 3-1/8" RPS-0183-12 (12 Ft.) 3-1/8" 3-1/8" 4-5/8 96" Length **RPS-2225 DEM-235** 3-1/2" 3-1/8" 3-3/8" 3-1/8" à-1/2" 4-7/8" 96" Length 94-1/2" Length **DEM-230** RPS-0045 (<u>8 Ft.</u>) RPS-0045-12 (12 Ft.) 3-1/8" 3-3/4" 3-1/2" 3-3/4" 94-1/2" Length **CX127 Duropolymer®** Matches WM45 3-3/4" **DEM-240** 3-3/4" 5-1/4 5-3/8" 2-1/8" 96" Length `5-5/8" 94-1/2" Length

All dimensions are approximate.

HIGH IMPACT

DUROPOLYMER®


• Recommended blade 10" Blade, 200 Teeth


information can be found on page 777


# designer's eage MILLWORK DEM-244


Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® CX Mouldings


#### 100% RECYCLED POLYSTYRENE





















DUROPOLYMER® • HIGH IMPACT
• Recommended blade 10" Blade, 200 Teeth
product information can be found on page 777




#### LARGE PLAIN CORNICES





Polyurethane DEM Mouldings Polystyrene RPS Mouldings


#### 100% RECYCLED POLYSTYRENE














#### **COMBINATION MOULDINGS**



All dimensions are approximate.


# designer's edge MILLWORK

### Polyurethane DEM Mouldings Polystyrene RPS Mouldings

#### 100% RECYCLED POLYSTYRENE







All dimensions are approximate.



Works with our DEM Mouldings:

DEM-105...page 779 DEM-113...page 779 DEM-115...page 779 DEM-111...page 779 DEM-114...page 779 DEM-116...page 779

Works with our RPS Mouldings:

RPS-0049...page 789 RPS-0207...page 789 RPS-2210...page 789 RPS-0189...page 789




4" H 5-1/4 Proj. 4" H 4" Proj. 4" H 5-1/4" Proj.

#### Works with our DEM Mouldings:

DEM-115...page 779
DEM-125...page 780
DEM-136...page 781
DEM-116...page 779
DEM-126...page 781
DEM-220...page 789
DEM-117...page 780
DEM-130...page 781
DEM-230...page 790

#### Works with our RPS Mouldings:

RPS-0049...page 789 RPS-2210...page 789 RPS-2225...page 790 RPS-0183...page 790



#### Works with our DEM Mouldings:

DEM-125...page 780 DEM-150...page 783 DEM-235...page 790 DEM-142...page 782 DEM-157...page 783 DEM-244...page 791 DEM-146...page 782

Works with our RPS Mouldings:

RPS-0045...page 790 RPS-0183...page 790

#### TRIM FAST™ THE MITER-FREE CORBEL SYSTEM


# ★ PATENT PENDING

#### The Industries Only Miter-Free, Interlocking Corbel & Crown Moulding System!

Solid wood corbels are available for inside corners, outside corners & centers eliminating the need for complicated miter cuts & noticeable seems at butt joints.




Crowns & Corbels are finished in a satin white & can be painted with a quality latex paint if desired



Use as adhesive or filler

· Fast cure · Paintable · Non-yellowing

· Eco-friendly, low VOC's



#### LARGE DECORATIVE DROPS


#### designer's edge MILLWORK

#### **High Density Polyurethane**

Our corner and center blocks allow you to install cornice mouldings quickly and easily with no need for mitering. Adding these architectural embellishments will highlight the beauty and visual appeal that crown moulding offers.


- One piece pre-assembled, Corners & Centers.
   No need to construct your own center and outside corner,
   we've done the work for you, saving valuable time.
- Primed and ready for paint.
- Lightweight and easy to install, corners and centers can be cut with a saw, nail and glue just like wood.








Crown Moulding cannot exceed 3-3/16" height and 3" projection *Many great crown options can be found on pages 779-780.* 





All dimensions are approximate.



#### ADH1

10.6 oz tube
PL Premium Adhesive
Approximate adhesive vields\*

Mouldings 2" + Under - 60' Mouldings 2 - 5" - 45'


Mouldings 5" + Over – 30'


\*Yields are approximate and based on average conditions and installation technique.

#### **DECORATIVE PANEL MOULDINGS**


### designer's edge MILLWORK

Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® PX Mouldings





























#### **DECORATIVE PANEL MOULDINGS**




Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® PX Mouldings


#### 100% RECYCLED POLYSTYRENE























DUROPOLYMER® • HIGH IMPACT
• Recommended blade 10" Blade, 200 Teeth
product information can be found on page 777

#### DECORATIVE PANEL MOULDINGS





### Polyurethane DEM Mouldings Polystyrene RPS Mouldings

#### 100% RECYCLED POLYSTYRENE









#### **FRIEZES**




#### Polyurethane DEM Mouldings Polystyrene RPS Mouldings


















All dimensions are approximate.


#### PLAIN PANEL MOULDINGS





Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® PX Mouldings

























All dimensions are approximate.


#### PLAIN PANEL MOULDINGS





Polyurethane DEM Mouldings Polystyrene RPS Mouldings Duropolymer® PX Mouldings


#### 100% RECYCLED POLYSTYRENE
























Recommended blade 10" Blade, 200 Teeth

information can be found on page 777

All dimensions are approximate.

DUROPOLYMER®



Polyurethane - DEM Mouldings 100% Recycled Polystyrene - RPS Mouldings

# Mitreless Cover & Butt Joint Corner

### The 90° Mitreless Corner Cover & 180° Mitreless Straight Cover

These products are decorative and designed to eliminate mitering and butt joints. The covers will hide any imperfections on moulding edges and save time on installation.





Our corners allow for miscuts up to 1/4"



### The 90° Butt Joint Corner & 180° Straight Butt Joint

When two ends of material are joined by butting them together using adhesive and caulk or other type of filler. These items need to have a tight fit and may require sanding, build up and caulking.






All dimensions are approximate.


#### PANEL MOULDING / ACCESSORIES



#### Polyurethane - DEM Mouldings 100% Recycled Polystyrene - RPS Mouldings













#### PANEL MOULDINGS / ACCESSORIES

# designer's edge MILLWORK


#### Polyurethane - DEM Mouldings 100% Recycled Polystyrene - RPS Mouldings














#### PANEL MOULDINGS / ACCESSORIES


# designer's edge MILLWORK

#### Polyurethane - DEM Mouldings 100% Recycled Polystyrene - RPS Mouldings











All dimensions are approximate.






#### **COMMON MOULDINGS**




#### CASE MOULDINGS





### Polyurethane DEM Mouldings Polystyrene RPS Mouldings



























All dimensions are approximate.



#### **BASE MOULDINGS**



All dimensions are approximate.

#### **DECORATIVE MEDALLIONS**



#### **Polyurethane Architectural Elements**



DEM-510
12" Dia.
Projection:
1-1/8"



DEM-513

15" Dia.

Projection: 1-3/4"



DEM-514
15-1/2" Dia.



DEM-519

18" Dia.

Projection:
1-1/2"
ID: 3-5/8"



DEM-516

16-1/2" Dia.
Projection:
1-1/2"













**DEM-525 18" Dia.**Projection: 1-1/2"
ID: 3-5/8"



DEM-531

18" Dia.

Projection: 1-7/8"
ID: 3-5/8"

For our complete line of CEILING DOMES, see pgs. 770-774

#### **DECORATIVE MEDALLIONS**



#### **Polyurethane Architectural Elements**



18" Dia. Projection:

1-3/8"

**DEM-534** ID: 3-5/8"

**DEM-537** 

18" x 18"

Projection: 1-5/8" ID: 3-5/8"



**DEM-540** 

19" Dia. Projection: 1-5/8"





20-1/2" Dia.





**DEM-546** 

21" Dia. Projection: 1-3/8"







**DEM-549** 

22-5/8" Dia. Projection: 1-3/4"



**DEM-552** 

23-5/8" Dia. Projection: 2-3/4"





**DEM-555** 

23-5/8" Dia. Projection:

3-1/2"





#### **DECORATIVE MEDALLIONS**



#### **Polyurethane Architectural Elements**



**23-5/8" Dia.** Projection: 2-1/8" ID: 3-5/8"

**DEM-564** 

**DEM-558** 



DEM-561

24" Dia.
Projection: 3"



**24-1/4" Dia.**Projection: 2"



**27-1/8" Dia.**Projection: 2-1/2"



**28-1/8" Dia.** Projection: 1-7/8"



**DEM-573 29-1/8" Dia.**Projection: 1-1/2"



DEM-576

30" Dia.
Projection: 2-3/8"



**DEM-579 31-1/2" Dia.**Projection: 1-7/8"



**32-5/8" Dia.**Projection: 2"



**DEM-585 37-1/2" Dia.**Projection: 3-1/2"

For our complete line of CEILING DOMES, see pgs. 770-774

#### **DECORATIVE MEDALLIONS**




#### **Polyurethane Architectural Elements**



Long Side: 17" Short Side: 12" Projection: 1-5/8"



Long Side: 18-1/2" Short Side: 13-1/2" Projection: 2"



Long Side: 23-3/4" Short Side: 12-1/4" Projection: 1-3/4"




Long Side: 30-1/2" Short Side: 20" Projection: 1-1/2




Long Side: 36" Short Side: 26" Projection: 1-5/8"



#### STAIR BRACKETS



For our complete line of CEILING DOMES, see pgs. 770-774








#### Polyurethane DEM & Duropolymer® DX Architectural Elements

#### **DEM-820** Series





**DEM-820A** 4-3/4" H x 4-3/4" W 3/4" Projection




**DEM-820** 96" L x 4-1/2" W 3/4" Projection



**DEM-820C** 

7-3/4" H x 4-3/4" W 1" Projection






#### **Polyurethane Architectural Elements**







#### MASSIVE PILASTERS

#### designer's edge MILLWORK **Polyurethane Architectural Elements DEM-720** Series **DEM-715** Series **DEM-710** Series **DEM-720A DEM-715A** 25-1/4" H x 25-3/8" W 17" H x 21-5/8" W **DEM-710A** 8-1/4" Projection 7-1/2" Projection 7-1/8" H x 17-1/2" W **CAPITALS** 2-5/8" Projection **DEM-720 DEM-710** 94-1/2" L x 17-3/4" W **DEM-715** 78-3/4" L x 9-7/8" W 1-1/2" Projection 1-1/8" Projection 78-3/4" L x 12-1/2" W 1-1/8" Projection 1-1/2" 1-1/8" 12-1/2" 1-1/8" 17-3/4" **DEM-720B DEM-715B** 31-5/8" H x 23-5/8" W 20-7/8" H x 15" W 5-1/2" Projection 2-1/8" Projection **DEM-710B** 6-1/4" H x 13-1/8" W **PLINTHS** 2-3/4" Projection


#### **DOOR SURROUNDS & ACCESSORIES**

#### **Polyurethane Architectural Elements**

Polyurethane Architectural Elements

Polyurethane Architectural Elements

Will not split, decay, warp or rot. • Primed and ready to paint. (When using as an exterior application, we recommend using a "UV" stabilized paint).




#### DOOR SURROUNDS & ACCESSORIES

# designer's

#### **High Density Polyurethane Architectural Elements**


• For Interior & Exterior Applications. • Will not split, decay, warp or rot. Primed and ready to paint. (When using as an exterior application, we recommend using a "UV" stabilized paint).



FIELD SANDING REQUIRED TO USE ACCESSORIES WITH PANEL MOULDINGS








#### **RECESSED NICHES**

#### **Polyurethane Architectural Elements**











37-1/2" W x 69" H



(Accent pieces included w/Niche) \* The 3 accent pieces shown above can be placed on the face of the frame of your choosing, allowing you to create your own unique look.





B

Please refrain from cutting the hole for your niche until you have actual niche for exact measurements.

#### SURFACE MOUNTED NICHE

# **DEM-635** 23-1/2" W x 34" H


#### No Cutting! If You Can Hang a Picture, You Can Hang a Niche!

#### **Surface Mounted Niche Dimension Chart**

- · No construction necessary.
- · As simple as hanging a picture.
- Easily installed without having to cut a hole.
- · Pre-attached keyhole hangers.

PART# **DEM-635** 

21-1/8" 19-1/4" 13-3/4" 28-5/8" 34" 2-1/2" 5-7/8" 4-3/8" 23-1/2"



# DRAC DECOR Interior Mouldings & Millwork Add A Distinctive & Cl. Add A Distinctive & Classical Touch To Any Installation All the decorative elements in the ORAC DECOR Collection are produced in high density polyurethane, primed white. This material is extremely durable and easy to work with. It is tough, dimensionally stable, lightweight and easy to install using common woodworking tools and the Orac Decor adhesives. Adding elements from the ORAC DECOR Collection will enhance any new construction, renovation or redecoration project making a distinctive impression. The ORAC DECOR Collection offers a full range of decorative products reproduced from popular classic to contemporary designs. **Domes Pediments Ceiling Medallions** Wall Light Fixtures **Library System** Flexible **Mouldings** Cornice Mouldings Wall Decorations





ORAC DECOR BUILDING GREEN

**Panel Mouldings** 

Corbels


WARRANTY: All products are guaranteed to be free from manufacturing defects for 1 year from date of purchase when properly installed. If defects are present, warranty is limited to the replacement of defective material only. Orac Decor/our company is not liable for any other costs incurred.



**Raised Panels** 

#### PLAIN CORNICE MOULDINGS

#### "Europe's #1 Choice for Interior Design"



**Bristol C305** (rigid)

LENGTHS 6'6" MEASUREMENTS ARE APPROXIMATE





C305

Use Bristol as a buildup moulding



**Hampshire C250** (rigid) FC250 (flexible\*\*)

> 9/16" 9/16" 7/8"

Windsor

with C200, C211, C212, C213, C302, C303, C304, C321

C230 (rigid) FC230 (flexible\*\*)





#### **Art Nouveau**

**C260** (rigid) FC260 (flexible\*\*)



**Small Traditional** 

**C215** (rigid) FC215 (flexible\*\*)





#### Federal

**C322** (rigid) FC322 (flexible\*\*)



**Small Contemporary** 

**C602** (rigid) FC602 (flexible\*\*)





#### **American**

**C200** (rigid) FC200 (flexible\*\*)





**C321** (rigid) FC321 (flexible\*\*)







Product Installations are guaranteed only when Orac Decor adhesives are used properly. Ordinary Notes: adhesives do not provide the strength needed to prevent joint separation.

Check measurements at job site before ORAC DECOR installing. We are not responsible for worlds Choice for deviations of measurements in the catalog. BUILDING GREEN Certain elements within the Orac Decor DUROPOLYMER®. These changes are noted where they pertain.



\*\*Flexible Mouldings Have **Limitations To Radius That Can** Be Performed, See Page 832 For Important Information Regarding Flexible Applications.





Use ORAC FIX Extra and ORAC DecoFix Pro for perfect installation (see page 849).


#### PLAIN CORNICE MOULDINGS

#### "Europe's #1 Choice for Interior Design"

LENGTHS 6'6"

MEASUREMENTS ARE APPROXIMATE

ORAC DECOR The Art of Depotation POLYURETHANÉ





# **Small Cove C240** (rigid) FC240 (flexible\*\*)







# Wellington **C220** (rigid) FC220 (flexible\*\*) 4-1/2" 2-15/16














<u>Product</u> Installations are guaranteed only when Orac Decor adhesives are used properly. Ordinary Notes: adhesives do not provide the strength needed to prevent joint separation.

Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

BUILDING GREEN Certain elements within the Orac Decor Polyurethane line are now being produced from DUROPOLYMER®. These changes are noted where they pertain.

Most of our cornice mouldings can be obtained in flexible material (see page 832).

\*\*Flexible Mouldings Have **Limitations To Radius That Can** Be Performed, See Page 832 For Important Information Regarding Flexible Applications





Use ORAC FIX Extra and ORAC DecoFix Pro for perfect installation (see page 849).


#### PLAIN CORNICE MOULDINGS


#### "Europe's #1 Choice for Interior Design"

LENGTHS 6'6"

**MEASUREMENTS ARE APPROXIMATE** 








\*C990 can be used as a combination item with P9900 & P9901 (see pages 827)


#### Winston (for indirect lighting) **C900** (rigid) 11/16" 5-11/16" 4-1/2"






#### Richmond (for indirect lighting) **C901** (rigid) FC901 (flexible\*\*)







Product Installations are guaranteed only when Orac Decor adhesives are used properly. Ordinary Notes: adhesives do not provide the strength needed to prevent joint separation.

Check measurements at job site before ORAC DECOR installing. We are not responsible for worlds Choice for deviations of measurements in the catalog. BUILDING GREEN Certain elements within the Orac Decor DUROPOLYMER®. These changes are noted where they pertain.



\*\*Flexible Mouldings Have **Limitations To Radius That Can** Be Performed, See Page 832 For Important Information Regarding Flexible Applications





Use ORAC FIX Extra and ORAC DecoFix Pro for perfect installation (see page 849).

#### **DECORATIVE CORNICE MOULDINGS**

#### "Europe's #1 Choice for Interior Design"

LENGTHS 6'6" **MEASUREMENTS ARE APPROXIMATE** 



**Small Classic C214** (rigid) FC214 (flexible\*\*)

1-3/16"



**Old English C201** (rigid) FC201 (flexible\*\*)

4-15/16

Design Repeat: 31-1/2"



**Thatch C402** (rigid) FC402 (flexible\*\*



Design Repeat: 2-1/8"




**Delft** C303 (rigid) FC303 (flexible\*\*)




Design Repeat: 6-1/4"



Large Queen Anne



Design Repeat: 2"



ORAC DECOR The Art of Depration POLYURETHANE









Design Repeat: 1-7/8"







Design Repeat: 7/8"





Design Repeat: 1-1/2"

#### **Small Chippendale C211** (rigid)

FC211 (flexible\*\*)



Design Repeat: 1-7/16"



Product Installations are guaranteed only when Orac Decor adhesives are used properly. Ordinary Notes: adhesives do not provide the strength needed to prevent joint separation.

Check measurements at job site before ORAC DECOR installing. We are not responsible for World's Choice for deviations of measurements in the catalog. BUILDING GREEN Certain elements within the Orac Decor Polyurethane line are now being produced from DUROPOLYMER®. These changes are noted where they pertain.

Most of our cornice mouldings can be obtained in flexible material (see page 832).

\*\*Flexible Mouldings Have **Limitations To Radius That Can** Be Performed, See Page 832 For Important Information Regarding Flexible Applications





Use ORAC FIX Extra and ORAC DecoFix Pro for perfect installation (see page 849).

#### **DECORATIVE CORNICE MOULDINGS**


## "Europe's #1 Choice for Interior Design"


**LENGTHS 6'6"** MEASUREMENTS ARE APPROXIMATE






















#### PANEL MOULDINGS / ACCESSORIES



Product Installations are guaranteed only when Orac Decor adhesives are used properly.

Notes: Ordinary adhesives do not provide the strength needed to prevent joint separation.


#### PANEL MOULDINGS / ACCESSORIES

# "Europe's #1 Choice for Interior Design"

LENGTHS 6'6" MEASUREMENTS ARE APPROXIMATE

1-3/16"





# Chippendale

**P6020** (rigid) FP6020 (flexible\*\*)

Design Repeat: 3/4" 2-9/16 **P3020** (rigid) FP3020 (flexible\*\*)

Classic

Design Repeat: 3-1/8"









#### **Harbor Bay**

**P7050** (rigid) FP7050 (flexible\*\*)

Design Repeat: 3-1/8"





#### Sheraton

P7040 (rigid) FP7040 (flexible\*\*)

Design Repeat: 7/8"

3-1/8"

3/4



#### **Queen Anne**

**P7030** (rigid)

FP7030 (flexible\*\*)

Design Repeat: 1-1/2" 3-3/8'

9/16"





#### **Victorian Braid**

**P7010** (rigid)

**FP7010** (flexible\*\*)

Design Repeat: 9-13/16" 4-1/8"

**P7020** (rigid) **FP7020** (flexible\*\*) 4-3/8" Design Repeat: 6-1/4"

Delft





## **Ellington**

**P7080** (rigid)

15-3/4"

Design Repeat: 8-5/8"

Product Notes: Installations are guaranteed only when Orac Decor adhesives are used properly. Ordinary adhesives do not provide the strength needed to prevent joint separation.

Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog. Certain elements within the Orac Decor Polyurethane line are now being produced from DUROPOLYMER®. These changes are noted where they pertain.




\*\*Flexible Mouldings Have **Limitations To Radius That Can** Be Performed, See Page 832 For Important Information Regarding Flexible Applications.



Use ORAC FIX Extra and ORAC DecoFix Pro for perfect installation (see page 849).

# urope's #1 Choice for Interior Design




#### PANEL MOULDINGS / ACCESSORIES

#### "Europe's #1 Choice for Interior Design"

LENGTHS 6'6" MEASUREMENTS ARE APPROXIMATE









3-9/16"x9/16"



All Curves have


an Inside Radius approximately 5"




#### Wellington P4020 (rigid) FP4020 (flexible\*\*) Design Repeat: none


#### P-4020A

All Curves have anInside Radius approximately 5"









#### **NICHES**

#### "Europe's #1 Choice for Interior Design"



**MEASUREMENTS** ARE APPROXIMATE

N503, N510



N404





N504, N510

Note: Please refrain from cutting the hole for your niche until you have the actual niche for exact measurements.

All 400 & 500 series niches come with a translucent shelf for uplighting -

(LIGHT & HARDWARE NOT INCLUDED).





N410





#### "Europe's #1 Choice for Interior Design"



Our "Bend To Fit", straight flex is stocked in 6'6" lengths ready for immediate shipping.


This lightweight polymer is capable of moderate radii (see chart below) to suit most applications.

FC & FP Series = Available in Straight 6'6" Lengths SX Series = Available in Straight 8' Lengths

#### NOT RECOMMENDED FOR INDIRECT LIGHTING APPLICATIONS

	"BEND TO FIT"			
PART # PROFILE	MIN. INSIDE RADIUS	MIN. OUTSIDE RADIUS	MIN. ARCH RADIUS	
FLEX		NICE MOULD		
FC200	5'	5'	N/A	
FC201	4'6"	4'6"	N/A	
FC211	10'6"	10'6"	N/A	
FC212	4'6"	4'6"	N/A	
FC213	7'6"	7'6"	N/A	
FC214	3'6"	3'6"	N/A	
FC215	5'6"	5'6"	N/A	
FC216	11'	11'	N/A	
FC217	11'	11'	N/A	
FC218	12'	12'	N/A	
FC220	9'6"	9'6"	N/A	
FC230	3'6"	3'6"	N/A	
FC240	7'6"	7'6"	N/A	
FC250	3'6"	3'6"	N/A	
FC260	5'	5'	N/A	
FC301	9'6"	9'6"	N/A	
FC302	6'6"	6'6"	N/A	
FC303	6'	6'	N/A	
FC304	5'6"	5'6"	N/A	
FC308	4'6"	4'6"	N/A	
FC321	4'6"	4'6"	N/A	
FC322	4'	4"	N/A	
FC331	15'	15'	6'	
FC333	12'	12'	N/A	
FC334	13'6"	13'6"	N/A	
FC402	6'	6'	N/A	
FC602	4'6"	4'6"	6'	
FC901	12'	12'	N/A	
FC902	13'	13'	N/A	

"BEND TO FIT"				
MIN. INSIDE RADIUS	MIN. OUTSIDE RADIUS	MIN. ARCH RADIUS		
	<u>-</u>	2'6"		
1'		2'6"		
3'		6'		
3'	3'	3'		
1'6"	1'6"	9'		
1'	1'	2'6"		
1'6"	1'6"	5'		
1'	1'	10'		
1'	1'	9'6"		
1'	1'	5'		
1'6"	1'6"	6'		
1'6"	1'6"	5'		
5"	5"	6'		
1'6"	1'6"	9'		
1'6"	1'6"	4'6"		
1'	1'	2'		
1'	1'	9'6"		
1'	1'	9'		
1'	1'	10'		
1'6"	1'6"	8'6"		
1'6"	1'6"	9'		
1'6"	1'6"	3'		
1'	1'	2'6"		
1'6"	1'6"	6'		
1'6"	1'6"	6'		
FLEXIBLE BASE MOULDINGS				
1'6"	1'6"	N/A		
1'6"	1'6"	N/A		
	MIN. INSIDE RADIUS XIBLE PAN  1' 1' 1' 1' 1'6" 1' 1'6" 1'6" 1'6" 1'6	MIN. INSIDE RADIUS  XIBLE PANEL MOULDII  1' 1' 1'  3' 3" 3"  3' 3' 3'  1'6" 1'6"  1' 1'  1' 1'  1'6" 1'6"  1' 1'  1'6" 1'6"  1'6" 1'6"  1'6" 1'6"  1'6" 1'6"  1'6" 1'6"  1'6" 1'6"  1'6" 1'6"  1'1 1'  1'6" 1'6"  1'6" 1'6"		







Above radii are the tightest curves capable without deformation of profile and excessive stress on mounting surfaces. Our company assumes no responsibility for material when recommended radii is exceeded. It is best to paint mouldings after installation. See flexible installation page for proper installation procedures.


NOTE: Flexible mouldings may vary slightly in size (more on larger profiles) compared to rigid straight mouldings.



Ask For our <u>FREE</u> Orac color catalog. #A910




#### **PILASTERS**




Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

#### **PILASTERS**




Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

#### CONTEMPORARY HALF COLUMNS




#### **CLASSICAL HALF COLUMNS**



#### CONTEMPORARY WHOLE COLUMNS



#### **CLASSICAL WHOLE COLUMNS**



urope's #1 Choice for Interior Design









#### LIBRARY FACADE SYSTEM

#### "Europe's #1 Choice for Interior Design"

**MEASUREMENTS ARE APPROXIMATE** 



**#DUROPOLYMER®** 


#### M9010A

3-5/16"W x 4-1/2"H x 1-3/4"D





1-15/16"H x 1-15/16"D



Shown: M9010L, M9010A, M9010R, M9010B & P9010

...15-9/16".....



Shown: M9010A, M9010L, M9010R, M9010C & P9010

Shown: M9010L, M9010B, M9010R & P9010

#### M9010B

4-15/16"W x 1-15/16"H x 1-15/16"D

M9010L

25-3/8"W x

12-1/2"H x

1-3/16"D




3-9/16"W x 6'6"H x 1-3/16"D

1-3/16"



M9010C 8-7/8"W x

#### **DECORATIVE DOOR SURROUNDS**









#### "Europe's #1 Choice for Interior Design"

#### **MEASUREMENTS ARE APPROXIMATE**

Our medallions are specially designed with a solid core for ornamental plaque use. However, all medallions can be cut with a hole cutter or keyhole saw to accommodate lighting or ceiling fans.





Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

(see page 849).

#### "Europe's #1 Choice for Interior Design"

#### **MEASUREMENTS ARE APPROXIMATE**

Our medallions are specially designed with a solid core for ornamental plaque use. However, all medallions can be cut with a hole cutter or keyhole saw to accommodate lighting or ceiling fans.






Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

#### "Europe's #1 Choice for Interior Design"

#### MEASUREMENTS ARE APPROXIMATE

Our medallions are specially designed with a solid core for ornamental plaque use. However, all medallions can be cut with a hole cutter or keyhole saw to accommodate lighting or ceiling fans.





Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

(see page 849).

#### "Europe's #1 Choice for Interior Design"

#### **MEASUREMENTS ARE APPROXIMATE**


Our medallions are specially designed with a solid core for ornamental plaque use. However, all medallions can be cut with a hole cutter or keyhole saw to accommodate lighting or ceiling fans.






Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

#### **WALL DECORATIONS & SHELVES**



#### **PEDIMENTS**



Check measurements at job site before installing. We are not responsible for deviations of measurements in the catalog.

#### **DOOR SURROUNDS**


## "Europe's #1 Choice for Interior Design"

MEASUREMENTS ARE APPROXIMATE



\*DUROPOLYMER®







#### SINGLE DOOR SURROUNDS

**OPENING:** Minimum 26¾" Wide Maximum 41-5/16" Wide

PART#	W	Н	D
D101	49-13/16"	7-11/16"	1-3/16"
P9010	3-3/4"	6'6"	1-3/16"
P9020	3-3/4"	6'6"	3/4"
D300	3-3/4"	10-1/4"	1-9/16"
D310	3-3/4"	9-13/16"	1-3/16"
D400	50-3/16"	5-11/16"	2-3/16"
D401	50-3/16"	5-11/16"	2-3/16"
D402	4-3/4"	5-3/4	2-3/16"


#### DOUBLE DOOR SURROUNDS

**OPENING:** Minimum 53-1/8" Wide Maximum 73-5/8" Wide

PART #	W	Н	D
D102	82-1/2"	9-1/4"	1-3/16"
P9010	3-9/16"	6'6"	1-3/16"
P9020	3-3/4"	6'6"	3/4"
D300	3-3/4"	10-1/4"	1-9/16"
D310	3-3/4"	9-13/16"	1-3/16"

# ACCESSORIES FOR SINGLE & DOUBLE DOOR SURROUNDS

PART #	W	Н	D
D200	3-3/4"	3-3/4"	1-3/16"
D210	3-3/4"	3-3/4"	1-3/8"
D62	6-1/8"	4-9/16"	9/16"
D1010	12-3/16"	4-3/8"	1/4"
D1014	13"	5-5/16"	9/16"



ORAC DECOR BUILDING GREEN

#### RAISED PANELS

#### "Europe's #1 Choice for Interior Design"

MEASUREMENTS ARE APPROXIMATE










This range consists of different panels and a plinth that can be combined to give ordinary doors and walls that classical look of raised panels




<sup>‡</sup>D500

21-5/8" W x 35-5/8"H x 5/8" proj.











#### FIREPLACE SURROUNDS













Ask For our FREE Orac color catalog. #A910 Individual FREE Samples Available.


6-7/8"



#### **CORBELS**



#### WALL LIGHT SCONCES



#### **ADHESIVE & MITER BOXES**



#### MITER BOXES CAN BE USED FOR ORAC DECOR & SURROUNDS MOULDINGS

#### **Decofix PRO**

#### **ADHESIVES**

- For mounting elements within the Polyurethane & **Duropolymer Collection.** 
  - · Basixx uses DecofixPro for Mounting & Joints

#### **FDP-500**

#### **FDP-600**



	PCS. PER	
PART #	CARTON	DESCRIPTION
FDP-500	12	Cartridge- 310 ml (10-1/2 oz.)
FDP-600	1	Tub- 8.8 lbs.

#### **Decofix HYDRO** For Exterior & Bathroom Applications

- For mounting elements within the Polyurethane Collection.
- · For mounting and joining elements within

L	)uropolyi	ner colle PCS. PER	ction.	FDP-700	HYDRO
	PART #	CARTON	DESCRIPTION		
	FDP-700	12	Cartridge-290 ml (9-3/4 oz.)		TANK Tankin

#### **ORAC Fix Extra**

• For joining elements within the Polyurethane & Duropolymer Collection in any application.

	PCS. PER	
PART#	CARTON	DESCRIPTION
FX-200	12	Cartridge-310 ml (10-1/2 oz.)
FX-210	24	Tube-80 ml (2-3/4 oz.)




#### ORAC FIX, ORAC DECOFIX PRO & ORAC DECOFIX HYDRO Technical Information

Keep ORAC Fix or ORACDecoFix Pro, cool (between +5°C/41°F and +30°C/86°F) and dry, can be stored for 12 months in original, unopened package

PRODUCT	REMOVABLE WITH	OPEN TIME	BASE	TEMP. PREP.
ORAC FIX EXTRA JOINT ADHESIVE	Acetone Before Hardening	Approx. 30 min.	Polyurethane (Diphenylmethane 4,4 - diisocyanate)	Between 5°C/41°F and 30°C/86°F
ORAC DECOFIX PRO	Water Before Hardening	Approx. 15 min.	Synthetic copolymer dispersion	Between 5°C/41°F and 30°C/86°F
ORAC DECOFIX HYDRO	Water and 1% Soap Before Hardening	Approx. 10 min.	One component Adh/Sealant Base On MS Polymer	Between 5°C/41°F and 30°C/86°F

We highly recommend testing your finish on a sample or scrap piece before installing.



#### ADJUSTABLE MITER BOX & SAW KIT





Cuts Any Degree

**FB-10** 

Additional features for easy fixation and handling. Moulding Max. Ht. 10.83" & Width 8.86" (for 45 degree)

1 pc per carton

#### ADHESIVE/FILLER YIELDS

MLDG.#	STANDARD PLUS CARTRIDGE FDP-500	STANDARD PLUS TUB FDP-600	EXTRA ADHESIVE CARTRIDGE FX-200	EXTRA ADHESIVE TUBE FX-210
P1020, P2020, P3020, P5021, P6020, P7050, P8020, P8030, P9040, P9050, C215, C230, C240, C250, C260, C322,C602	60 ft.	400 ft.	150 joints	35 joints
P4020, P5020, P5051, P7010, P7020, P7030, P7040, P7060, P7070, P8040, P8050, P8060, P9010, P9020, P9900, P9901, C200, C201, C212, C213, C214,C220, C302, C303, C304, C305, C308, C321,C400	45 ft.	300 ft.	100 joints	25 joints
P5050, P7080, C211, C216, C217, C218, C219, C300, C301, C307, C331, C332, C333, C334, C335, C356, C351, C353, C354, C355, C356, C357, C358, C360, C402, C422, C900, C901, C902, C990	30 ft.	200 ft.	80 joints	20 joints
Yields are appr	roximate & b			

conditions & installation techniques.



# LOW-DENSITY EXTRUDED POLYSTYRENE CROWN MOULDINGS

Our Affordable Low-density Extruded Polystyrene Crown Mouldings Offer Practical And Simple Installation.



- No primer needed
- Ready for water/acrylic based paint
- Easy to install

CLASS A FIRE RATING

No CFCs


BUILDINGGREEN


- · Water based adhesive only
- No nails or screws needed























Interior Millwork by Focal Point








## HIGH DENSITY POLYURETHANE DISTINCTIVE CROWN MOULDINGS



#### Memorable Mouldings guide the eye and stir the spirit. They can elevate a room from mundane to marvelous!




**Note:** We offer the complete line of **Focal Point** products. If you do not see the **Focal Point** part you are looking for, Please inquire.

5-1/16"

4-5/8"

R

1-3/4"



PART#

PART#

10530-8


6-7/8"



# STAIR BRACKETS Stylish Stairways

Step up your style with our stair brackets. Reminiscent of the great mansions of Europe or the Antebellum South, our stair brackets are available in "right" or "left" configurations to match your staircase direction.

All brackets shown on this page are "right" brackets.
Stair Brackets are sold in sets of two only.



#### **ROCOCO**



#### **WOODLAWN-SMALL**



 W
 H
 P

 8-1/4"
 6-3/4"
 15/16"





W = Width H = Height P = Projection R = Design Repeat L = Length in Feet



# FRIEZES GEORGIAN FRIEZE 15205 H P R L 7-1/2" 1-3/4" 7-1/8" 92-1/4" D'EVEREUX FRIEZE 13080 H P R L 8-3/8" 1-1/8" 7-1/2" 12'

#### **ADHESIVE**



Focal Point Adhesive 3 is especially formulated to be used on polyurethane moulding joints and seams. It welds pieces together when properly used, virtually eliminating callbacks for joint separation. Use one tube of adhesive for every 60 linear feet of moulding. Immediately remove excess adhesive that bleeds on to the face of the moulding.

**NOTE:** PL Premium Polyurethane Construction Adhesive is the only recommended suitable alternative. Our warranty hinges on the use of Focal Point Adhesive 3 or PL Premium Polyurethane Construction Adhesive.

**PART# 33333** 

#### PRIMED WHITE UNFINISHED MEDALLIONS




PART#

81012

81018

81031

"Art for your ceiling"... medallions come in a wide array of styles, from classical to contemporary. "Enlighten" your light fixtures and your interior with medallions.



(D)

12"

18"

30-1/4"

(C)

5"

5"

5"

PROJ.

1/2"

5/8"

1-1/2"













A "canopy" is the decorative cover that is provided with the light fixture. This is installed against the medallion to cover and allow access to the electrical box opening. if you would like to use the canopy, Focal Point provides maximum "canopy size" information. unless otherwise noted, the center holes of the medallions are approximately 4"



Note: We offer Focal Point's full line of products. If you do not see the Focal Point part you are looking for, Please inquire.





#### Adding Character & Depth

Whether searching for a classic shell design, such as the Gainsborough or Regency, or a more

contemporary feel, like the Sonoma or Monterey, niches provide an opportunity to ornament an area, highlight a special piece of artwork or create texture and depth on an otherwise flat space.



Gainsborough 91000 27-1/4"W x 56"H 91350 32-7/8"W x 58-1/2"H



**Bellemeade 91410** 15-5/8"W x 29-7/8"H



**Sonoma 91590** 16-7/8"W x 36"H **91840** 29-3/4"W x 56-3/4"H



Regency 91200 27-1/4"W x 56"H 91300 32-7/8"W x 58-1/2"H



**Monterey 91520** 16-7/8"W x 36"H






**Waverly 91790** 16-3/4"W x 36-1/2"H



**Waverly II**91630
22-3/4"W x 43-3/8"H
91770
16-3/4"W x 36-1/2"H

#### **NICHES**



### NICHE SHELL CAPS




#### Create A Point Of Focus


Shell niche caps are used for two reasons - when a standard niche is not wide, tall or deep enough, or the project calls for shelves within the niche. The shell niche cap has a groove molded into the underside, into which bending plywood can be inserted and attached to the framing.


**Geneva Shell Niche with Plinths**, available in 3 sizes. The cap is separated from the casing by plinths, and curved-plywood used for the backing. Installed with Wood Casings 91110 or 91220 (sold separately), the overall niche can be any height, and made to fit your application.

Osborne Shell Niche Cap Kit, available in 3 sizes. Each kit contains a niche cap, rim, two pilasters.

Installed with Fluted Pilasters 92260 (sold with kit). The backing is created using curved plywood or tempered hardboard cut to the desired size.








#### FLEXIBLE "MADE TO FIT" MOULDINGS

Achieve Radii Never Before Possible- Available In 6 Ft. to 12 Ft. Lengths in even 1 Ft. Increments

- **IMPORTANT NOTES:**
- Material should be removed from box and stored flat when received. Allow it to come to room temperature 24 hours prior to installation.
- For best results, the use of construction type adhesive in addition to pneumatic pin nailing is recommended. Use of tape or clamps may be helpful in securing the material in position while adhesives bond.
- "Made-To-Fit" mouldings can be cut, shaped or sanded using normal woodworking equipment.
- 4. The use of water based stain such as Miniwax works well. Apply with brush or rag and wipe off. Additional coats may be applied if necessary to match wood. Be sure to allow first coat to dry completely before applying more stain. Finish with clear coat after staining.
- 5. All paints work well. Best results are seen when a primer coat is applied. When using Alkyd Enamels or Oil based Enamels a water base or Latex undercoat is required. Never paint before installation. The material is flexible and the paint may crack during installation.
- \*PLEASE NOTE: Flexible Mouldings May Shrink Up To 2% During Manufacturing (slightly more on larger profiles) in Size Compared To Rigid Mouldings.


FLEXIBLE MOULDINGS ARE A NON-STOCK ITEM & HAVE A 3 WEEK LEAD TIME. EACH PIECE IS CUSTOM MADE, AND DEPENDING ON APPLICATION, RADIUS INFORMATION AND OR TEMPLATES MAY BE REQUIRED.



#### FLEXIBLE "MADE TO FIT" MOULDINGS

## Concave (inside) / Convex (Outside) Radius Applications:


Although radius information may not be required for this application, Profiles can not achieve a tighter radius than 3 times the width of the moulding. Example: A 3" wide moulding can achieve a radius of no tighter than 9". Attempting to do so may result in cracking.



#### **Casing Applications:**

#### Half Round:

When ordering half circle radius casing, measure the distance across the opening at the widest point. This is the diameter of the circle (see diagram). The radius (height) dimension should be one half the length of the diameter. Specify the radius on your order.



#### Eyebrow:

When ordering arches or arcs (also called eyebrows or sectionals), measure the height and width of the arch (see diagram). Specify these dimensions when ordering. Templates must be furnished when ordering elliptical and oval casings.



#### Elliptical:

Template required.







3-1/2"



See pages 911-913, 920-926 for our Powder Coated Balusters

<sup>\*</sup> BECAUSE EACH PIECE IS MADE TO ORDER, THESE MOULDINGS ARE NON-RETURNABLE.

#### MANTEL COLUMNS

## TRADITIONAL STAIN GRADE HARDWOOD MANTEL COLUMNS

• 52" Columns w/Cap & Base.

• 3-½ or 5" dia. columns.


A quality stain grade column used in mantel applications, divider walls, and built in bookcases and entertainment centers. Manufactured from select hardwoods such as **Red Oak, Cherry,** and **Maple**. This column incorporates either a tapered shaft with true architectural entasis or a non-tapered shaft for a contemporary appearance. The classic hardwood column is available in both a plain or fluted shaft.

A - 5" Dia. x 52" H, Fluted, Non-Tapered Column B - 3" Dia. x 52" H, Fluted, Non-Tapered Column C - 3" Dia. x 52" H, Plain, Non-Tapered Column D - 3" Dia. x 52" H, Plain, Tapered Column


THESE COLUMNS HAVE BEEN STAINED OR PAINTED FOR PHOTOGRAPHIC PURPOSES.

A Overall length include Tuscan Cap and Base.

	MANTEL COLUMN DIMENSIONS											
NAME	SIZE	BOTTOM DIA. A	NECK DIA. B	ABOVE BEAD M	BEAD	FLUTE WIDTH L	TOP FLUTE K	BOTTOM FLUTE	NO. FLUTE	∧ LENGTH		
TAPERED	3-1/2"	3"	2-13/16"	1-1/4"	5/16"	7/16"	5/16"	1/2"	12	52"		
IAPERED	5"	4-1/2"	3-7/8"	1-1/4"	5/16"	7/16"	5 /16"	1/2"	20	52"		
NON-	3-1/2"	3"	3-3/8"	1-1/4"	5/16"	7/16"	5/16"	1/2"	12	52"		
TAPERED	5"	4-1/2"	4-7/8"	1-1/4"	5/16"	7/16"	5/16"	1/2"	12	52"		



SPECIFICATIONS FOR TUSCAN CAPITAL AND BASE												
		BASE		CAPITAL								
		PLINTH	MOLDING	SQU	ARE	ROUND						
NAME	SIZE	С	D	Е	F	G	Н					
TAPERED	3-1/2"	5"	1"	1-1/4"	4-1/2"	1-1/8"	5/8"					
IAPERED	5"	6-1/2"	1"	1-1/4"	4-1/2"	1-1/8"	5/8"					
NON-	3-1/2"	5"	1"	1-1/4"	5"	1-1/8"	5/8"					
TAPERED	5"	6-1/2"	1"	1-1 /4"	6-1/2"	1-1/8"	5/8"					



## Available Tapered or NON-TAPERED PLAIN or FLUTED


KED OAK									
	PART #								
	DR3X52P-RO								
TAPERED	DR3X52F-RO								
IAPERED	DR5X52P-RO								
	DR5X52F-RO								
	DR3X52NTP-RO								
NON-	DR3X52NTF-RO								
TAPERED	DR5X52NTP-RO								
	DR5X52NTF-RO								

	PARI#
	DR3X52P-CH
TAPERED	DR3X52F-CH
IAPERED	DR5X52P-CH
	DR5X52F-CH
	DR3X52NTP-CH
NON-	DR3X52NTF-CH
TAPERED	DR5X52NTP-CH
	DR5X52NTF-CH

**CHERRY** 

MAPLE									
PART #									
DR3X52P-MP									
DR3X52F-MP									
DR5X52P-MP									
DR5X52F-MP									
DR3X52NTP-MP									
DR3X52NTF-MP									
DR5X52NTP-MP									
DR5X52NTF-MP									

#### HALF ROUND & FULL ROUND COLUMNS



#### HAND CARVED SOLID MAPLE FIRE SURROUNDS

Our solid wood maple surrounds are hand carved from one piece of wood by master European craftsmen who have passed their art down from generation to generation. Meticulously detailed in design, these surrounds create a dramatic look worthy of the finest hearths and fireplaces. Surrounds come unfinished, ready for stain to match your surrounding woodwork. Some filling, sanding and assembly may be required.



#### HAND CARVED SOLID MAPLE FIRE SURROUNDS





#### HAND CARVED SOLID MAPLE FIRE SURROUNDS



#### CLASSIC WOOD FIRE SURROUNDS

#### ALL STYLES ARE AVAILABLE IN PAINT GRADE • OAK • CHERRY

Classic Styling... Exquisite Craftsmanship...

Why pay a mill worker to create a mantel for your home when we can provide the same quality craftsmanship at a fraction of the cost?

#### Old World Craftsmanship...Affordable Elegance...

We offers the best of both worlds. Our products are carefully constructed to give your home the beautiful look you want. From classic to contemporary, in unfinished oak veneer or paint grade (unfinished poplar), you'll find the style to suit your lifestyle.



1. Mt. Vernon (shown in Oak)



3. Harrisburg (shown in Paint Grade)



2. Victorian (shown in Paint Grade)



4. Fredricksburg (shown in Paint Grade)

				Inside Opening Width	Inside Opening Height	Return Depth	Shelf Length	Shelf Depth	Leg Width	Leg & Shelf Width	Body Width	Total Mantel Height	Breast Height
	PART #	SIZE	NAME	Α	В	С	D	Е	F	G	Н	- 1	J
4	WFS-MVS-*	Small	Mt. Vernon	48"	42"	1-1/2"	72"	9"	7-1/4"	12"	62-1/2"	55"	13"
1.	WFS-MVL-*	Large	wit. vernon	54"	42"	1-1/2"	78"	9"	7-1/4"	12"	68-1/2"	55"	13"
2	WFS-VIS-*	Small	Victorian	48"	42"	1-1/2"	77-1/2"	10 1/4"	10 1/4"	14 3/4"	68"	58-1/2"	16-1/2"
	WFS-VIL-*	Large	victorian	54"	42"	1-1/2"	83 1/2"	10 1/4"	10 1/4"	14 3/4"	74"	58-1/2"	16-1/2"
3	WFS-HAS-*	Small	Harriahura	48"	42"	1-1/2"	75 1/2"	9 1/2"	9"	13-3/4"	66"	55"	13"
3	WFS-HAL-*	Large	Harrisburg	54"	42"	1-1/2"	81 1/2"	9 1/2"	9"	13-3/4"	72"	55"	13"
4	WFS-FRS-*	Small	Evaduial charac	48"	42"	1-1/2"	68"	7 1/2"	6"	10"	60"	55"	13"
4	WFS-FRL-*	Large	Fredricksburg	54"	42"	1-1/2"	74"	7 1/2"	6"	10"	66"	55"	13"

Add color code to end of each part number when ordering (ex. WFS-MVS-OAK) \*PG = Paint Grade, \*OAK = Oak, \*CH = Cherry

NOTE: Surrounds are finished for photographic purposes, yours will arrive unfinished.

#### **CLASSIC WOOD FIRE SURROUNDS**

#### ALL STYLES ARE AVAILABLE IN PAINT GRADE • OAK • CHERRY



5. Hillsboro (shown in Oak)



7. Concord (shown in Oak)



**6. Leesburg** (shown in Paint Grade)



8. Hartford (shown in Oak)

			inside	inside					Leg &		Iotai	
			Opening Width	Opening Height	Return Depth	Shelf Length	Shelf Depth	Leg Width	Shelf Width	Body Width	Mantel Height	Breast Height
	PART # SIZ	E NAME	Α	В	С	D	Е	F	G	Н	- 1	J
5	WFS-HIS-* Sma	All Hillsboro	48"	42"	1-1/2"	69 1/2"	8 1/2"	6"	10 3/4"	59 1/2"	55"	13"
<u> </u>	WFS-HIL-* Larg	ge	54"	42"	1-1/2"	75 1/2"	8 1/2"	6"	10 3/4"	65 1/2"	55"	13"
6	WFS-LES-* Sma	all Loosburg	48"	42"	1-1/2"	74 1/2"	9"	9"	13 1/4"	66"	55"	13"
0	WFS-LEL-* Larg	Leesburg	54"	42"	1-1/2"	80 1/2"	9"	9"	13 1/4"	72"	55"	13"
7	WFS-COS-* Sma	Concord	48"	42"	1-1/2"	72 1/2"	7"	8 1/4"	12 1/4"	64 1/2"	56"	14"
1	WFS-COL-* Larg	ge	54"	42"	1-1/2"	78 1/2"	7"	8 1/4"	12 1/4"	70 1/2"	56"	14"
8	WFS-HARTS-* Sma	All Hartford	48"	42"	1-1/2"	75 1/2"	8 5/8"	9 3/4"	13 3/4"	67 1/2"	59"	17"
0	WFS-HARTL-* Larg	ge	54"	42"	1-1/2"	81 1/2"	8 5/8"	9 3/4"	13 3/4"	73 1/2"	59"	17"

Add color code to end of each part number when ordering (ex. WFS-MVS-OAK) \*PG = Paint Grade, \*OAK = Oak, \*CH = Cherry

NOTE: Surrounds are finished for photographic purposes, yours will arrive unfinished.

#### CLASSIC WOOD FIRE SURROUNDS

#### ALL STYLES ARE AVAILABLE IN PAINT GRADE • OAK • CHERRY



9. Oxford (shown in Oak)



10. Highlander (shown in Cherry)
Leg & Total

				Opening Width	Opening Height	Return Depth	Shelf Length	Shelf Depth	Leg Width	Shelf Width	Body Width	Mantel Height	Breast Height
	PART #	SIZE	NAME	Α	В	C	D	Ė	F	G	Н	Ĭ	J
9	WFS-OXS-*	Small	Oxford	48"	42"	1-1/2"	78"	11"	11"	15"	70"	59"	17 5/8"
	WFS-OXL-*	Large		54"	42"	1-1/2"	84"	11"	11"	15"	80"	59"	17 5/8"
10	WFS-HIGHS-*	Small	Highlander	48"	42"	1-1/2"	66"	6 3/4"	5-3/4"	9 3/4"	59 1/2"	54 3/4"	12 3/4"
	WFS-HIGHL-*	Large		54"	42"	1-1/2"	72"	6 3/4"	5-3/4"	9 3/4"	65 1/2"	54 3/4"	12 3/4"

Inside

Inside

Add color code to end of each part number when ordering (ex. WFS-MVS-OAK) \*PG = Paint Grade, \*OAK = Oak, \*CH = Cherry


NOTE: Surrounds are finished for photographic purposes, yours will arrive unfinished.


#### **General Information**

- Made to fit standard 36" and 42" wide fireboxes
- Available in unpainted MDF & hardwoods (paint grade/ unfinished poplar/cherry) or stain grade/unfinished oak veneer
- Constructed of veneered MDF & select hardwoods
- Designed to overlap the facing material surrounding the firebox (tile, marble, slate, etc.) This allows flexibility in sizing and facing materials (see "C" dimension)
- Installation instructions are included with every order
- Installation requires basic tools and materials including construction adhesive, nails/screws and 1" x 2" x 4"

lumber strips (which can be purchased locally)

 After some filling and sanding, surrounds can be finished with most quality paints or stains





## POLYURETHANE MANTEL HEADERS & LEGS





